

ARO 13214. 7-CH 16389.7-CH



MODEL NETWORK POLYMERS

FINAL REPORT

C. W. Macosko

September, 1982

U.S. ARMY RESEARCH OFFICE

DAAG 29-76-G-0110 DAAG 29-79-C-0091

Department of Chemical Engineering and Materials Science University of Minnesota Minneapolis, MN 55455

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED



82 10 05 024

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
. REPORT NUMBER	2. GOVT ACCESSION NO. AO. A119 96 9	3. RECIPIENT'S CATALOG NUMBER	
. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERED	
MODEL NETWORK POLYMERS		Final	
		6. PERFORMING ORG. REPORT NUMBER	
· AUTHOR(a)		B. CONTRACT OR GRANT NUMBER(a)	
Christopher W. Macosko		DAAG 29-79-C-0091 DAAG 29-76-G-0110	
Department of Chemical Engineering & Mats. Science University of Minnesota, 421 Washington Ave. SE Minneapolis, MN 55455		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
1. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE	
U. S. Army Research Office Post Office Box 12211 Research Triangle Park, NC 27709		9/82 13. NUMBER OF PAGES	
14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)		15. SECURITY CLASS. (of this report)	
		Unclassified	
		15a. DECLASSIFICATION/DOWNGRADING	

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

NA

18. SUPPLEMENTARY NOTES

The view, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official department of the Army position, policy, or decision unless so designated by other documentation.

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)
crosslinked polymers, polydimethylsiloxane, hydrosilation, viscosity of branched polymers, rubber elasticity, entanglements between polymer chains, recursive theory, gelation, polymer network theory, thermosetting polymers, branching theory, ring formation during polymerization

20. ABSTRACT (Continue on reverse ofth if necessary and identity by block number)
Under this grant we applied and extended a recursive theory which describes structural features of crosslinking polymers. We developed experimental techniques for synthesizing and characterizing model networks of polydimethylsiloxane. We successfully applied the recursive theory to predict basic structural parameters like: molecular weight, gel point and sol fraction at various stages during network formation. A recursive relation for the weight average moleculare weight of the longest linear chain through the molecule was developed and found to correlate viscosity rise during network polymerization. Sol fraction.

DD , FORM 1473 EDITION OF 1 NOV 65 IS OBSOLETE results were used with the theory to predict crosslink density, junction functionality and trapped entanglement fraction. These parameters were used to test classical and more recent theories of rubber elasticity against stress strain response of the silicone networks. The contribution of chain-chain interactions, often called entanglements, was found to be significant. Twenty publications are listed in the report.

Accession For	
NTIS GRAE	
DTIC TAB	
Unannounced 🗔	
Justifica.i.	
Ву	
Distribution/	
Availability Codes	
Avail and/or	
Dist Special	
\ \	
DEIG	
COPY INSPECTED	

Under this grant we applied and extended a recursive theory which describes structural features of crosslinking polymers. We developed experimental techniques for synthesizing and characterizing model networks of polydimethylsilo-xane. We successfully applied the recursive theory to predict basic structural parameters like: molecular weight, gel point and sol fraction at various stages during network formation. A recursive relation for the weight average molecular weight of the longest linear chain through the molecule was developed and found to correlate viscosity rise during network polymerization. Sol fraction results were used with the theory to predict crosslink density, junction functionality and trapped entanglement fraction. These parameters were used to test the classical and more recent theories of rubber elasticity against stress strain response of the silicone networks. The contribution of chain-chain interactions, often called entanglements, was found to be significant. Twenty publications have been completed under the contract and are listed below.

Key Results

1. Recursive Theory. This program started with the development of simple recursive relations to describe average properties of non-linear polymers (Macosko and Miller, Macromolecules, 9, 199; 206 (1976)). Under this grant these relations were extended considerably, particularly toward systems of practical interest such as those where reactivity of different functional groups is not equal (4, see attached publication list), where reactivity is changed by substitution effects (9), where the starting reactants are oligomeric (5, 21) and where wasted loops can form (8,9). We also derived expressions for several new parameters such as the number of branches per molecule, the weight average of the longest chain through a branched molecule, weight fraction of pendant chains on the gel, average molecular

weight of network chains and molecular weight of the soluble fraction (5). These relations are particularly helpful in understanding the rheology of network forming systems as discussed below. We also extended the recursive theory to predicting average molecular weight of the sequences formed during linear copolymerization (55). Much of the research under this grant was devoted to applying the recursive theory to model networks.

- 2. Hydrosilation Coupling. We developed a method for making well defined randomly branched polymers and networks by coupling vinyl terminated polydimethylsiloxane chains with small, multifunctional hydrosilanes using a Pt catalyst (1,2). We have characterized the reaction and verified its efficiency (6,7,11,12,15). The reaction is now being used by a number of other laboratories to produce networks with well defined structure.
- 3. Methods for Verifying Network Structure. We showed how important it is to carefully characterize starting reactants, reaction path and final network polymer in order to define network structure. We developed GPC and LC methods for characterizing reactants (11,15,18) and infrared methods for following reaction path (1,6). To verify network structure we used light scattering molecular weight measurements, conversion at the gel point and sol extraction (6,7,11,12,15,18).
- 4. <u>Viscosity and Gelation of Randomly Branched Polymers</u>. We developed several methods for following the viscosity rise in polymerizing systems (6,8). This permitted us to identify the gel point accurately and with both urethane (8) and silicone systems (6) we got good agreement with predictions from the recursive theory and the extent of reaction. Weight average molecular weight on samples stopped before the gel point gave good

agreement with predicted values (6,15). We were able to correlate the entire viscosity rise curve to $M_{L,W}$, the weight average molecular weight of a longest linear chain through the branched molecule (6,15). Elasticity measurements (equilibrium compliance) also correlate with $M_{L,W}$. Recently we have extended the theory to randomly branched polymers formed by chainwise copolymerization of vinyl and divinyl monomers. Experimental viscosity results also correlate to $M_{L,W}$ (20). The influence of cyclization (or wasted loops) on molecular weight and the gel point has also been studied (18).

5. Rubber Elasticity. Perhaps the area of our research under this grant which has received the most attention recently is that involved with using model networks to test the classical theory of rubber elasticity and recent new theories. We have developed methods for measuring the dynamic shear moduli on cureing and on polymerized samples (3,17). These methods as well as ordinary tensile tests were used to evaluate the small strain Thear modulus on silicone networks with different degrees of crosslinking, molecular weight of the starting chains, and different functionality (2,7, 11,12,13). These results and those of a number of other workers were compared in an extensive review (14). We found all the silicone model network modulus data in good agreement when compared on the basis of the same density of network chains and same functionality. The results show that chain-chain interactions add considerably to the small strain modulus. Their contribution can be treated quantitatively by the trapped entanglement concept of Langley (14). It also appears that chain interactions suppress the mobility of the crosslinking junctions as indicated in Flory's theory (16).

To further test these rubber elasticity theories we have done some large strain experiments and have found that Edwards' reptation theory shows too much strain sensitivity (12) while Graessley's shows too little (19). Flory's gives closer to the proper shape strain dependence but the absolute value of the small strain modulus is generally too low (12,19). Clearly more theoretical work is needed but Flory's model should be quite useful for design work with elastomers when rescaled by a constant.

6. Viscoelasticity of Rubber Networks. We have found that the loss modulus for silicone networks correlates with the weight fraction of pendent material, i.e. polymer chains which do not act as network linkages (7). Valles has verified this for a wide range of networks in a recent study (Proceedings of IUPAC Macromolecular Symposium, 1982, p. 565). With John Ferry's group we have tested the influence of adding long, unattached chains to silicone networks and found a much larger relaxation time than expected by reptation theory (13). This indicates that chains in a polymer melt may relax by mechanisms other than reptation.

Publications

- E. M. Valles and C. W. Macosko, "The effect of network structure in the equation of rubber elasticity," Rubber Chem. Technol. 49, 1232 (1976).
- 2. E. M. Valles and C. W. Macosko, "The effect of network structure in the equation of rubber elasticity. II. Further results in "Chemistry and Properties of Crosslinked Networks," S.S. Labana, ed., Academic Press 1977 pp. 401-410.
- 3. D. F. Weikart, W. M. Davis and C. W. Macosko, "Automated measurement of non-linear dynamic moduli," A.C.S. Coatings and Plastics Preprints 37, No. 2, 486 (1977).
- 4. D. R. Miller and C. W. Macosko, "Average property relations for nonlinear polymerization with unequal reactivity," Macromol. 11, 656 (1978) (portions in proceedings of VII Int. Congress on Rheol., C. Klason and J. Kubat, ed., Gothenburg 1976, p. 568).

- 5. D. R. Miller, E. M. Valles and C. W. Macosko, "Calculation of molecular parameters for stepwise polyfunctional polymerization," Polymer Sci. Eng. 19, 272 (1979).
- 6. E. M. Valles and C. W. Macosko, "Structure and viscosity of polydimethylsiloxanes with 3 and 4 functional branches," Macromolecules 12, 521 (1979).
- 7. E. M. Valles and C. W. Macosko, "Properties of networks formed by endlinking of polydimethylsiloxane," Macromolecules 12, 637 (1979).
- 8. E. B. Richter and C. W. Macosko, "Viscosity changes for a fast (RIM) urethane polymerization," Polymer Eng. Sci. 20, 921 (1980).
- 9. D. R. Miller and C. W. Macosko, "Substitution effects in property relations for stepwise polyfunctional polymerization," Macromolecules 13, 1063 (1980).
- F. Lopez-Serrano, J. M. Castro, M. V. Tirrell and C. W. Macosko, "A recursive approach to copolymerization statistics," Polymer 21, 263 (1980).
- 11. C. W. Macosko and G. S. Benjamin, "Modulus of three and four functional polydimethylsiloxane networks," Pure & Appl. Chem. <u>53</u>, 1505 (1981).
- 12. M. Gottlieb, C. W. Macosko and T. C. Lepsch, "Stress-strain behavior of randomly crosslinked polydimethylsiloxane networks," Polym. Phys. Ed. 19, 1603 (1981).
- 13. S. Granick, S. Pedersen, G. W. Nelb, J. D. Ferry and C. W. Macosko, "Stress relaxation and dynamic viscoelastic properties of end-linked polydimethylsiloxane networks containing unattached polydimethylsiloxane," J. Poly. Sci.; Physics Ed. 19, 1745 (1981).
- 14. M. Gottlieb, C. W. Macosko, G. S. Benjamin, K. O. Meyers and E. W. Merrill, "The influence of entanglements on the modulus of polydimethylsiloxane. networks, Macromolecules 14, 1039 (1981); portions in Polymer Preprints 22, 1102, 155 (1981).
- 15. W. J. Hickey and C. W. Macosko, "Rheology of randomly branched polydimethylsiloxanes," Polymer Preprints 22, No. 2, 379 (1981).
- 16. M. Gottlieb and C. W. Macosko, "On the suppression-of-junction-fluctuations parameter in Flory's network theory," Macromolecules 15, 535 (1982).
- 17. M. Gottlieb and C. W. Macosko, "The effect of instrument compliance on dynamic rheological measurements," Rheol. Acta 21, 90 (1982).
- 18. R. J. Rolando and C. W. Macosko, "Ring formation in linear stepwise polymerization of polydimethylsiloxane systems," International Union of Pure and Applied Chemistry 28th Macromolecular Symposium, Amherst, July 1982, p. 229.
- 19. G. S. Benjamin, C. W. Macosko and M. Gottlieb, "Large strain behavior of model silicone networks," International Union of Pure and Applied Chemistry 28th Macromolecular Symposium, Amherst, July 1982, p. 561.

- 20. D. T. Landin and C. W. Macosko, "Rheological changes occurring during the radical chain copolymerization of vinyl and divinyl monomers," Polymer Preprints 23, No. 2 000 (1982).
- 21. D. R. Miller and C. W. Macosko, "Average property relations for random crosslinking of polymer chains pregel," in preparation.

Scientific Personnel

- Christopher W. Macosko, Professor, Department of Chemical Engineering and Materials Science, University of Minnesota
- Douglas R. Miller, Associate Professor, Department of Operations Research, George Washington University
- Edward B. Richter, M.S. November, 1976 (currently project engineer at Procter and Gamble, Cincinatti, Ohio)
- Enrique M. Valles, Ph.D. December, 1977 (currently Associate Professor of Chemical Engineering, University del Sur, Bahia Blanca, Argentina)
- David J. Yarusso, B.S. June, 1978 (currently Ph.D. candidate, Department of Chemical Engineering, University of Wisconsin)
- Barbara J. Ek, B.S. August, 1978 (currently Ph.D. candidate, Department of Chemical Engineering, University of Wisconsin)
- David F. Weikart, M.S. November, 1978 (currently engineer at Exxon Chemical, Linden, New Jersey)
- Thomas C. Lepsch, B.S. August, 1979 (currently University of Minnesota Medical School)
- Moshi Gottlieb, Postdoctoral Fellow and Visiting Professor, 1/78-8/79, 8/81 (currently Associate Professor of Chemical Engineering, Ben Gurion University, Beersheva, Israel)
- James Stoos, B.S. June, 1980 (currently Ph.D. candidate, Polymer Science and Engineering, University of Massachusetts)
- William J. Hickey, M.S. October, 1980 (currently engineer at Amoco Research, Napierville, Illinois)
- Jose M. Castro, Ph.D. July, 1980 (currently Associate Professor of Chemical Engineering, Universidad del Sur, Bahia Blanca, Argentina)
- Richard J. Rolando, M.S. July, 1982 (currently engineer at 3M, St. Paul, Minnesota)

Grant S. Benjamin, M.S. candidate, University of Minnesota Donald T. Landin, Ph.D. candidate, University of Minnesota Sue Ann Bidstrup, Ph.D. candidate, University of Minnesota

END

DATE



DTIC